


Amendments to the Claims


This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently amended) A synergistic fungicidal composition comprising consisting essentially of a compound of the formula (I)



(fluoxastrobin)_z


a compound of the formula (II)



(prothioconazole)_z

and

a compound of the formula (III)



(tebuconazole)[[.]]_z


and optionally extenders and/or surfactants,

wherein the weight ratio of said compound of the formula (I) to said compound of the formula (II) is from 1:0.1 to 1:10, and the weight ratio of said compound of the formula (I) to said compound of the formula (III) is from 1:0.05 to 1:10.

2. (Cancelled)


3. (Withdrawn) A method for controlling fungi, comprising allowing the composition of claim 1 to act on the fungi, their habitat or the plants, parts of plants, seeds, soils, areas, materials or spaces to be kept free from them.

4. (Withdrawn, currently amended) The method for controlling fungi of claim 3, characterized in that the compound of formula (I)




(fluoxastrobin)₂

the compound of formula (II)



(prothioconazole)₂

and the compound of formula (III)



(tebuconazole)

are applied simultaneously, that is jointly or separately, or in succession.

5. (Withdrawn) A propagation material which has been treated by the method of claim 3.

6-7. (Cancelled)

8. (Withdrawn, currently amended) A process for preparing fungicidal compositions, ~~characterized in that the active compound combination of claim 1 is mixed comprising mixing the composition of claim 1 with extenders and/or surfactants.~~

9. (New) The composition of claim 1, wherein the weight ratio of said compound of the formula (I) to said compound of the formula (II) is from 1:0.2 to 1:5, and the weight ratio of said compound of the formula (I) to said compound of the formula (III) is from 1:0.1 to 1:5.

10. (New) The composition of claim 1, wherein the weight ratio of said compound of the formula (I) to said compound of the formula (II) is 1:1, and the weight ratio of said compound of the formula (I) to said compound of the formula (III) is 1:1.